



SELECTION CHART



**Tamperproof Screw Cap
With washer seal
and flat top**



**With washer seal
and attachment loop**



With washer seal



**Self-standing
0.5 ml**

| | | | | | |
|-------------------------|--|-----------------------|--|-----------------------|---|
| T335-2TP Non sterile | Cap not assembled and Non graduated | T332-2 Non sterile | Cap loops are pre-attached but caps are not screwed on and Non graduated | T334-2 Non sterile | Cap not assembled and Non graduated |
| T335-2STP Sterile | Caps are slightly screwed on and Non graduated | T332-2S Sterile | Pre-attached caps are screwed on and Non graduated | T334-2S Sterile | Caps are screwed on and Non graduated |
| T335-2SPRTP Sterile | Caps are slightly screwed on, white marking area and graduations | T332-2SPR Sterile | Pre-attached caps are screwed on, white marking area and graduations | T334-2SPR Sterile | Caps are screwed on, white marking area and graduations |



**Self-standing
1.5 ml**

| | | | | | |
|-------------------------|--|-----------------------|--|-----------------------|---|
| T335-4TP Non sterile | Cap not assembled and Non graduated | T332-4 Non sterile | Cap loops are pre-attached but caps are not screwed on and Non graduated | T334-4 Non sterile | Cap not assembled and Non graduated |
| T335-4STP Sterile | Caps are slightly screwed on and Non graduated | T332-4S Sterile | Pre-attached caps are screwed on and Non graduated | T334-4S Sterile | Caps are screwed on and Non graduated |
| T335-4SPRTP Sterile | Caps are slightly screwed on, white marking area and graduations | T332-4SPR Sterile | Pre-attached caps are screwed on, white marking area and graduations | T334-4SPR Sterile | Caps are screwed on, white marking area and graduations |



**Conical bottom
1.5 ml**

| | | | | | |
|-------------------------|--|-----------------------|--|-----------------------|---|
| T335-5TP Non sterile | Cap not assembled and Non graduated | T332-5 Non sterile | Cap loops are pre-attached but caps are not screwed on and Non graduated | T334-5 Non sterile | Cap not assembled and Non graduated |
| T335-5STP Sterile | Caps are slightly screwed on and Non graduated | T332-5S Sterile | Pre-attached caps are screwed on and Non graduated | T334-5S Sterile | Caps are screwed on and Non graduated |
| T335-5SPRTP Sterile | Caps are slightly screwed on, white marking area and graduations | T332-5SPR Sterile | Pre-attached caps are screwed on, white marking area and graduations | T334-5SPR Sterile | Caps are screwed on, white marking area and graduations |



**Self-standing
2.0 ml**

| | | | | | |
|-------------------------|--|-----------------------|--|-----------------------|---|
| T335-6TP Non sterile | Cap not assembled and Non graduated | T332-6 Non sterile | Cap loops are pre-attached but caps are not screwed on and Non graduated | T334-6 Non sterile | Cap not assembled and Non graduated |
| T335-6STP Sterile | Caps are slightly screwed on and Non graduated | T332-6S Sterile | Pre-attached caps are screwed on and Non graduated | T334-6S Sterile | Caps are screwed on and Non graduated |
| T335-6SPRTP Sterile | Caps are slightly screwed on, white marking area and graduations | T332-6SPR Sterile | Pre-attached caps are screwed on, white marking area and graduations | T334-6SPR Sterile | Caps are screwed on, white marking area and graduations |



**Conical bottom
2.0 ml**

| | | | | | |
|-------------------------|--|-----------------------|--|-----------------------|---|
| T335-7TP Non sterile | Cap not assembled and Non graduated | T332-7 Non sterile | Cap loops are pre-attached but caps are not screwed on and Non graduated | T334-7 Non sterile | Cap not assembled and Non graduated |
| T335-7STP Sterile | Caps are slightly screwed on and Non graduated | T332-7S Sterile | Pre-attached caps are screwed on and Non graduated | T334-7S Sterile | Caps are screwed on and Non graduated |
| T335-7SPRTP Sterile | Caps are slightly screwed on, white marking area and graduations | T332-7SPR Sterile | Pre-attached caps are screwed on, white marking area and graduations | T334-7SPR Sterile | Caps are screwed on, white marking area and graduations |

**PACKAGING
INFORMATION**

| | Qty/Pk | Qty/Cs | | Qty/Pk | Qty/Cs | | Qty/Pk | Qty/Cs |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| Non Sterile | - | 1000 | Non Sterile | - | 1000 | Non Sterile | - | 1000 |
| Sterile | 50 | 500 | Sterile | 50 | 500 | Sterile | 50 | 500 |